X300 Performance Hard Drive

Level up your drive performance



16 14 5 4 12 10 8



EMEA Region, Toshiba Storage Solutions - The X300 3.5" internal hard drive is designed for your professional or gaming PC - delivering reliable, large capacity, incredibly high-performance storage, made possible by a number of advanced features, including an ultra-high512 MB, 256 MB or 128 MB buffer. It even features improved positional accuracy for stable recording. The X300 is available in capacities of up to16 TB - ideal for PC gamers, graphic designers, and other users with demanding storage requirements.

Use for:

- Powerful desktop workstations
- All-in-one PCs
- Gaming computers
- High performance PCs
- Home media computers



3.5" SATA Hard Drive

7200 rpm

128/256/512 MB buffer

Toshiba Dynamic Cache Technology

Toshiba Stable Platter Technology


Manual Tools

Toshiba Installation and Safety.pdf 🕹





Product Specifications



	_			
Basic	Sne	2CITIC	'atın	nc

Form factor	3.5-inch
Interface	SATA 6.0 Gbit/s
Advanced Format (AF)	yes
RoHS compatible	yes
Halogen Free	Yes

Performance

· cc.	
Rotational speed	7,200 rpm
Buffer size	Bulk
	512 MB (16 TB)
	256 MB (8 TB - 14 TB)
	128 MB (4 TB - 6 TB)
	Retail
	512 MB (16 TB)
	256 MB (6 TB - 14 TB)
	128 MB (4 TB)
Average latency	4.17 ms
Native Command Queing (NCQ)	supported

Reliability

MTTF	600,000 hours
Unrecoverable error rate	1 per 10 ¹⁴ bits read

Power Management

5VDC (±5%) / 12VDC (±5%) (4 TB - 6 TB)	Supply voltage	5VDC (+10%/-7%) / 12VDC (±10%) (16 TB), 5VDC (±5%) / 12VDC (±10%) (12 TB, 14 TB), 5VDC (+10%/-5%) / 12VDC (+10%) (8 TB, 10 TB)
		5VDC (+10%/-5%) / 12VDC (±10%) (8 TB, 10 TB), 5VDC (±5%) / 12VDC (±5%)

Consumption (operating)

6.91 W typ. (16 TB), 6.77 W typ. (12 TB, 14 TB), 9.92 W typ. (8 TB, 10 TB), 11.3 W typ. (4 TB - 6 TB) Retail 6.91 W typ. (16 TB), 6.77 W typ. (12 TB, 14 TB), 9.92 W typ. (6 TB, 10 TB), 11.3 W typ. (4 TB)

Box Content

Box Content	3.5-inch internal HDD - X300 Performance Hard Drive
Physical	
Weight (approx.)	770 g max. (6 TB - 10 TB), 720 g max. (4 TB, 5 TB, 12 TB, 14 TB, 16 TB)
Dimensions	147 (L) x 101.6 (W) x 26.1 (H) mm
Environmental	
Assusting (idle mode)	20 dB tvn (12 TB - 16 TB)

non-operating)

Acoustics (idle mode)	20 dB typ. (12 TB - 16 TB), 34 dB typ. (6 TB - 10 TB), 31 dB typ. (4 TB, 5 TB)
Shock (non-operating)	2450 m/s² (250 G) / 2 ms duration (8 TB - 16 TB) 2940 m/s² (300 G) / 2 ms duration (4 TB - 6 TB)
Shock (operating)	686 m/s² (70 G) / 2 ms duration
Vibration (non-operating)	Bulk 29.4 m/s2 (3.0 G) (5 to 500 Hz) (8 TB - 16 TB), 49.0 m/s2 (5.0 G) (5 to 500 Hz) or less (4 TB - 6 TB) Retail 29.4 m/s2 (3.0 G) (5 to 500Hz) (6 TB - 16 TB), 49.0 m/s2 (5.0 G) (5 to 500Hz) or less (4 TB)
Vibration (operating)	7.35 m/s² (0.75 G) (5 to 300 Hz) 2.45 m/s² (0.25 G) (300 to 500 Hz)
Temperature (operating /	5 to 60° C / -40 to 70°C

Product Range

Part number	Capacity	Color
HDWR31GUZSVA (Bulk)	16 TB	-
HDWR21EEZSTA (Retail) 14 TB	-
HDWR21EUZSVA (Bulk)	14 TB	-
HDWR21CEZSTA (Retail) 12 TB	-
HDWR21CUZSVA (Bulk)	12 TB	-
HDWR11AEZSTA (Retail) 10 TB	-
HDWR11AUZSVA (Bulk)	10 TB	-
HDWR180EZSTA (Retail) 8 TB	-
HDWR180UZSVA (Bulk)	8 TB	-
HDWR160EZSTA (Retail) 6 TB	-
HDWF160UZSVA (Bulk)	6 TB	-
HDWE150EZSTA (Retail) 5 TB	-
HDWF150UZSVA (Bulk)	5 TB	-
HDWE140EZSTA (Retail) 4 TB	-
HDWE140UZSVA (Bulk)	4 TB	-

Logistical Information:

189.0 mm (H) x 136.0 mm (W) x 60.0 mm (D) Box dimensions

Box weight (gross) 915 g max.

915 g max. 265 x 150 x 210mm 3914 g max. 4 pcs Master carton dimensions

Master carton weight (gross)

Boxes per master carton

4 pcs 1150 x 1150 x 130 mm Pallet dimensions

allet weights (net) n/A
Units per pallet 480 pcs
Units per carton 20 pcs. Pallet weights (net)

Carton dimensions 410 x 308 x 228 mm arton weight (gross) 17 kg (typ.), 16 kg (typ.) (4TB, 5TB) Carton weight (gross)

Units per pallet 600 pcs.

Contact

Toshiba Electronics Europe GmbH

Hansaallee 181 40549 Düsseldorf Germany